



KaVo. Dental Excellence.





# More safety and power with ease.

The compact ergonomic design of the KaVo Master Series and its unique light concept ensure optimal working and viewing conditions in the preparation area. It offers up to 23 watt peak power for comfortable and efficient preparation. Silence Technology combined with further frequency optimisation provide low-noise operation. The new Direct Stop Technology (DST) reduces the stopping time of the bur by approx. 60 % to allow you to work in a relaxed and safe manner.

### Convincing features of the KaVo Master Series:



### More safety

- Due to the DST Technology, the dental bur stops within one second
- No back-suction



#### Peak power

- Up to 23 watt of power
- Vibration-free running properties




### Low-noise

 Minimal noise due to flow-optimised Silence Technology



#### Perfect handling

- Slip-proof and optimal grip due to Plasmatec surface
- Easy accessibility due to 100° / 19° angle combination and smallest head size





# Optimum of price and power with ease.

Real experts know their strengths. The KaVo Expert Series, perfectly supports your daily work to ensure a trouble-free workflow with minimal servicing and cleaning requirements. The KaVo Expert Series foregoes superfluous extras so you can rely on efficient equipment, proven through millions of treatments throughout the world





- Quickly ready for use
- Extremely easy filter change
- Easy and rapid cleaning and perfect spray at all times



Superior visibility

• Glare-free illumination of the preparation area



## Optimal handling

- Easy accessibility due to 100° / 19° angle combination
- Small head dimensions



# Perfectly efficient

• Highest durability and reliability leading to cost savings in the long term





# An easy overview.

Product name	Series	Mat.No.	Light	Head size - Spray nozzles	Power watt	Noise level dB(A)	Coupling
MASTERtorque							KaVo master
MASTERtorque LUX	M9000 L	1.008.7900	Yes	Standard - 4	23	57	KaVo MULTIflex
MASTERtorque LUX	M9000 LS	1.008.5400	Yes	Standard - 4	19	57	Sirona*
MASTERtorque LUX (chocolate-brown)	M9000 L COLOR	1.007.9900	Yes	Standard - 4	23	57	KaVo MULTIflex
MASTERtorque LUX (anthracite)	M9000 L COLOR	1.007.7100	Yes	Standard - 4	23	57	KaVo MULTIflex
MASTERtorque Mini LUX	M8700 L	3.001.0000	Yes	Mini - 3	19	59	KaVo MULTIflex
MASTERtorque Mini LUX	M8700 LS	3.001.0600	Yes	Mini - 3	19.5	59	Sirona*
EXPERTtorque							KaVo <b>expert</b>
EXPERTtorque LUX	E680 L	1.006.8700	Yes	Standard - 4	18	62	KaVo MULTIflex
EXPERTtorque	E680 C	1.006.9000	No	Standard - 4	18	62	KaVo MULTIflex
EXPERTtorque Mini LUX	E677 L	1.007.3600	Yes	Mini - 3	15	65	KaVo MULTIflex
EXPERTtorque LUX	E680 LS	1.006.4600	Yes	Standard - 4	16	62	Sirona*
EXPERTtorque LUX	E680 LN	1.006.4700	Yes	Standard - 4	16	62	NSK PTL-CL*
EXPERTtorque Mini LUX	E677 LN	1.006.0100	Yes	Mini - 3	12	65	NSK PTL-CL*
EXPERTtorque LUX	E680 LM	1.006.4300	Yes	Standard - 4	18	62	Morita Alpha Con.*
EXPERTtorque Mini LUX	E677 LM	1.006.3800	Yes	Mini - 3	14	65	Morita Alpha Con.*
SMARTtorque							KaVo <b>smart</b>
SMARTtorque LUX	S619 L	1.008.1641	Yes	Standard - 4	16	65	KaVo MULTIflex
SMARTtorque	S619 C	1.008.1642	No	Standard - 4	16	65	KaVo MULTIflex
SMARTtorque Mini LUX	S615 L	1.008.1643	Yes	Mini - 1	13	65	KaVo MULTIflex
SMARTtorque	S609 C	1.008.1644	No	Standard - 4	16	65	4-hole (Midwest)
SMARTtorque Mini	S605 C	1.008.1645	No	Mini - 1	13	65	4-hole (Midwest)
SMARTtorque	S608 C	3.001.6560	Yes	Standard - 4	16	65	2-hole (Borden)
Product name	Mat.No.	Light		Spray control	Con	nector	
MULTIflex couplings							
MULTIflex LUX 465 LED	1.007.3197	LED		with ratchet posi	ition 4-h	4-hole Lux connector	
MULTIflex LUX 465 LRN	0.553.1550	High-pressure lamp		with ratchet posi	ition 4-h	4-hole Lux connector	
MULTIflex LUX Midwest	0.553.1390	Glass rod		No N		Midwest cold light connector	
MULTIflex LUX 460LED	1.007.3201	LED		No 4-		4-hole Lux connector	
MULTIflex LUX 460LE	1.001.7599	High-pressure lamp		No 4-I		4-hole Lux connector	
MULTIflex 465 RN	0.553.1600	No		with ratchet posi	with ratchet position 4-hole standard connector		nector
MULTIflex LUX 460E	1.001.7600	No	No		4-h	4-hole standard connector	
MULTIflex 457	0.553.1210	No	No		No 4-hole standa		nector

<sup>\*</sup> Registered trademarks of the respective corporations





