

**Safety Data Sheets 1907/2006/EG - REACH (DE)**

**Muppy wire guard (Alloy Steel) I, transparent/rigidngitter  
(Legierter Stahl) I, transparent/starr starr  
Article no.: No. 93201**



Revised on: 16.05.2022

Version: 4.0 Replaced version:3.0

**SECTION 1: Identification of the substance or mixture and of the company/undertaking**

1.1	<b>Product identifier</b> Muppy wire guard (Alloy Steel) I, transparent/rigidngitter (Legierter Stahl) I, transparent/starr starr Article no.: 93201
1.2	<b>Relevant identified uses of the substance or mixture and uses which are not recommended</b>
1.2.1	<b>Relevant uses medical device:</b> Medical device - oral vestibule plate
1.2.2	<b>Uses that are not recommended:</b> None known
1.3	<b>Details of the supplier providing the safety data sheet</b> <b>Dr. Hinz Dental Vertriebsgesellschaft mbH &amp; Co. KG</b>  Friedrich der Große 64 44628 Herne  GERMANY  Phone: + 49 (0) 23 23 / 59 34 20 Fax : + 49 (0) 23 23 / 59 34 29  E-Mail: qm@dhug.de
1.4	<b>Emergency number</b> Contact: <b>Dr. P. Hinz</b> Phone: + 49 17 51 83 41 34

**SECTION 2: Possible dangers**

2.1	<b>Classification of the substance or mixture</b>  The product has not been classified as dangerous according to the legislation in force
2.1.1	<b>Classification according to (EC) Regulation 1272/2008 as amended.</b>  Not classified
2.2	<b>Labelling elements</b> <b>Additional information:</b> Not applicable No data available
2.3	<b>Other dangers</b>  This substance/mixture does not contain components in concentrations of 0.1% or higher that are classified as either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

**SECTION 3: Composition / Information on ingredients**

3.1	<b>Chemical characterisation</b>  Polycarbonate, nickel Ferrous alloy with up to 19 % Cr, 17 % Mn, possibly with other elements > 1 %, but not to be marked								
3.1.1	<b>Dangerous ingredients</b>  No hazardous ingredients according to REACH Regulation (EC) No 1907/2006.								
	<table border="1"> <thead> <tr> <th>Artikel</th> <th>Deutsch</th> <th>English</th> <th>Material</th> </tr> </thead> <tbody> <tr> <td>98029</td> <td>Teleskop HF 9</td> <td>Telescopes HF 9</td> <td>A, B, C</td> </tr> </tbody> </table>	Artikel	Deutsch	English	Material	98029	Teleskop HF 9	Telescopes HF 9	A, B, C
Artikel	Deutsch	English	Material						
98029	Teleskop HF 9	Telescopes HF 9	A, B, C						

## Safety Data Sheets 1907/2006/EG - REACH (DE)

**Muppy wire guard (Alloy Steel) I, transparent/rigidngitter  
(Legierter Stahl) I, transparent/starr starr  
Article no.: No. 93201**



Revised on: 16.05.2022

Version: 4.0 Replaced version:3.0

		98029	Teleskop HF 9	Telescopes HF 9	A, B			
		98030	Teleskop HF 15	Telescopes HF 15	A, B, C			
		98030	Teleskop HF 15	Telescopes HF 15	A, B			
<b>Material</b>								
<b>A</b>	Edelstahl / Stainless Steel 1.4301							
	C %	Si %	Mn %	P %	S %	Cr %	Ni %	Sonstige / Others
	≤0,07	≤ 1,0	≤2,0	≤ 0,045	≤0,030	17,5 – 19,5	8,0 – 10,5	N ≤ 0,11
<b>B</b>	Edelstahl / Stainless Steel 1.4305							
	C %	Si %	Mn %	P %	S %	Cr %	Ni %	Sonstige / Others
	≤ 0,10	≤ 1,0	≤ 2,0	≤0,045	≤0,15 – 0,35	17,0 – 19,0	8,0 – 10,0	Cu ≤ 1,0; N ≤ 0,11
<b>Material</b>	<b>Deutsch</b>	<b>English</b>						
<b>C</b>	Polyamid	Polyamide						

### Section 4: First aid measures

<b>4.1</b>	<b>Description of the first aid measures</b>	
	<b>General notes</b>	No action should be taken that involves personal risk or that has not been adequately trained.
	<b>Inhalation:</b>	Remove to fresh air. Seek medical attention if symptoms occur.
	<b>Eye contact:</b>	Immediately flush eye with water. Seek medical attention if symptoms occur.
	<b>Skin contact:</b>	IF IN CONTACT WITH HOT MELT: Cool immediately with plenty of water. Do not remove product crusts from affected skin areas by force or by using solvents. Consult a doctor immediately for treatment of possible burns and for gentle cleansing of the skin. The following information refers to handling the product at room temperature. In case of contact with skin, wash thoroughly with plenty of soap and water.
	<b>Ingestion:</b>	Do NOT induce vomiting if swallowed. Administer a glass of water. Seek medical attention.
<b>4.2</b>	<b>Most important symptoms and effects, both acute and delayed:</b>	No information available.
<b>4.3</b>	<b>Indications for immediate medical help or special treatment</b>	
	<b>Dangers:</b>	This product is not expected to be harmful under normal use and proper personal hygiene.
	<b>Treatment:</b>	Do NOT induce vomiting if swallowed. Administer a glass of water.

### SECTION 5: Fire-fighting measures

**Safety Data Sheets 1907/2006/EG - REACH (DE)**

**Muppy wire guard (Alloy Steel) I, transparent/rigidngitter  
(Legierter Stahl) I, transparent/starr starr  
Article no.: No. 93201**



Revised on: 16.05.2022

Version: 4.0 Replaced version:3.0

5.1	<b>General fire hazards</b>	Fire residues and contaminated extinguishing water must be disposed of in accordance with local official regulations.
	<b>Extinguishing agent Suitable extinguishing media</b>	Water spray, extinguishing powder, carbon dioxide (CO <sub>2</sub> ), foam, dry extinguishing agent
	<b>Unsuitable extinguishing media:</b>	Avoid direct water jet; this will disperse and spread the fire
5.2	<b>Special hazards arising from the substance or mixture:</b>	Fire produces carbon dioxide, carbon monoxide, nitrogen oxides and traces of hydrogen cyanide (hydrocyanic acid). Do not inhale explosion and fire gases.
5.3	<b>Advice for firefighters Advice for firefighters:</b>	Respiratory protection with independent air supply required for fire fighting. Do not allow contaminated extinguishing water to enter the ground, groundwater or bodies of water.
	<b>Special protective equipment for fire fighting:</b>	Wear self-contained breathing apparatus and protective clothing. Do not allow runoff from firefighting materials, even in diluted form, to reach bodies of water, sewers, or drinking water reservoirs. Use ordinary firefighting measures; consider hazards from other materials involved.

**SECTION 6: Accidental release measures**

6.1	<b>Personal precautions, protective equipment and emergency procedures:</b>	Remove all sources of ignition. Wear personal protective equipment.
6.2	<b>Environmental protection measures:</b>	Do not allow the runoff to enter the sewer system, waterways or soil
6.3	<b>Methods and material for retention and cleaning:</b>	Wipe up spilled material and take to a safe place. Caution: Contaminated surfaces may be slippery.
6.4	<b>Reference to other sections:</b>	Caution: Contaminated surfaces may be slippery. Do not allow runoff to reach drains, sewers or bodies of water. For personal protective equipment see section 8 of SDS.

## Safety Data Sheets 1907/2006/EG - REACH (DE)

**Muppy wire guard (Alloy Steel) I, transparent/rigidngitter  
(Legierter Stahl) I, transparent/starr starr  
Article no.: No. 93201**



Revised on: 16.05.2022

Version: 4.0 Replaced version:3.0

### Section 7: Handling and storage:

7.1	<b>Protective measures for safe handling:</b>	Under the recommended processing conditions, small quantities of emitters, essentially residual monomers and residual solvents, may be released. Ensure that the limit values specified in Section 8 are complied with by providing adequate ventilation or extraction at the workplace. Provide effective extraction of dusts during mechanical processing. Keep away from food and beverages. Wash hands and apply skin protection ointment before breaks and at the end of work. Change contaminated clothing.
	<b>Storage conditions:</b>	No special storage conditions required.
7.2	<b>Conditions for safe storage taking into account incompatibilities:</b>	No special storage conditions required.
	<b>Storage stability:</b>	No information available.
	<b>Storage class:</b>	Storage class (TRGS 510) : 11: Combustible solids
7.3	<b>Specific end uses:</b>	No information available.

### SECTION 8: Exposure controls/personal protective equipment

8.1	<b>Parameters to be monitored Occupational exposure limit values</b>	When processing this product, especially in the thermal process, the regulations for the substances listed below must be observed. According to our experience, the limit values quoted below can be safely complied with if effective devices for ventilation and extraction are used at the discharge points of any vapors that may arise.
	<b>Biological limit values</b>	See Subsection 16 Table 8.1
8.2	<b>Exposure controls Suitable engineering controls:</b>	Eye showers and emergency showers must be available in the workplace. Provide adequate general and local exhaust ventilation system.
	<b>Individual protective measures, for example personal protective equipment</b>	
	<b>General information:</b>	Eye wash bottle with pure water. Do not eat, drink or smoke while working. Wash hands after handling
	<b>Eye/face protection:</b>	Wear safety goggles/face protection.
	<b>Skin protection Hand protection:</b>	Geeignete Materialien für Schutzhandschuhe; EN 374: Polyvinylchlorid - PVC: Dicke >=0,5mm  Kontaminierte und/oder beschädigte Handschuhe sind zu wechseln.
	<b>Other:</b>	Wear suitable protective clothing and goggles/face protection when working.
	<b>Respiratory protection:</b>	In case of dust generation, use filter unit with filter type particle filter P1 according to EN 147
<b>Hygiene measures:</b>	Observe recognized industrial hygiene measures. Do not eat, drink or smoke while working. Maintain good personal hygiene. Thoroughly clean hands and	

**Safety Data Sheets 1907/2006/EG - REACH (DE)**

**Muppy wire guard (Alloy Steel) I, transparent/rigidngitter  
(Legierter Stahl) I, transparent/starr starr  
Article no.: No. 93201**



Revised on: 16.05.2022

Version: 4.0 Replaced version:3.0

		contaminated work areas with soap and water before leaving the workplace. Avoid contact with skin and eyes.
	<b>Limitation and monitoring of environmental exposure:</b>	There are no data available.

### SECTION 9: Physical and chemical properties

<b>9.1</b>	Information on the basic physical and chemical properties																																						
	<table border="1"> <thead> <tr> <th>Parameter</th> <th>Wert</th> </tr> </thead> <tbody> <tr> <td>State of aggregation</td> <td>solid at 20 °C at 1,013 hPa</td> </tr> <tr> <td>Colour</td> <td>Transparent</td> </tr> <tr> <td>Smell</td> <td>Odorless</td> </tr> <tr> <td>Melting point/freezing point</td> <td>Softening point: 130 - 160 °C</td> </tr> <tr> <td>Boiling point or initial boiling point and boiling range</td> <td>not determined</td> </tr> <tr> <td>Flammability</td> <td>not determined</td> </tr> <tr> <td>Lower explosion limit upper explosion limit</td> <td>Not applicable</td> </tr> <tr> <td>Flash point</td> <td>not determined</td> </tr> <tr> <td>Ignition temperature</td> <td>&gt; 450 °C</td> </tr> <tr> <td>Decomposition temperature</td> <td>&gt;= 380 °C</td> </tr> <tr> <td>pH value</td> <td>Not applicable</td> </tr> <tr> <td>Kinematic viscosity</td> <td>Not applicable</td> </tr> <tr> <td>Solubility</td> <td>practically insoluble</td> </tr> <tr> <td>Partition coefficient n-octanol/water (log value)</td> <td>not determined</td> </tr> <tr> <td>Vapour pressure</td> <td>Not applicable</td> </tr> <tr> <td>Density and/or specific gravity</td> <td>ca. 1,2 - 1,4 g/cm</td> </tr> <tr> <td>Relative vapour density</td> <td>not determined</td> </tr> <tr> <td>Particle properties</td> <td>not determined</td> </tr> </tbody> </table>	Parameter	Wert	State of aggregation	solid at 20 °C at 1,013 hPa	Colour	Transparent	Smell	Odorless	Melting point/freezing point	Softening point: 130 - 160 °C	Boiling point or initial boiling point and boiling range	not determined	Flammability	not determined	Lower explosion limit upper explosion limit	Not applicable	Flash point	not determined	Ignition temperature	> 450 °C	Decomposition temperature	>= 380 °C	pH value	Not applicable	Kinematic viscosity	Not applicable	Solubility	practically insoluble	Partition coefficient n-octanol/water (log value)	not determined	Vapour pressure	Not applicable	Density and/or specific gravity	ca. 1,2 - 1,4 g/cm	Relative vapour density	not determined	Particle properties	not determined
Parameter	Wert																																						
State of aggregation	solid at 20 °C at 1,013 hPa																																						
Colour	Transparent																																						
Smell	Odorless																																						
Melting point/freezing point	Softening point: 130 - 160 °C																																						
Boiling point or initial boiling point and boiling range	not determined																																						
Flammability	not determined																																						
Lower explosion limit upper explosion limit	Not applicable																																						
Flash point	not determined																																						
Ignition temperature	> 450 °C																																						
Decomposition temperature	>= 380 °C																																						
pH value	Not applicable																																						
Kinematic viscosity	Not applicable																																						
Solubility	practically insoluble																																						
Partition coefficient n-octanol/water (log value)	not determined																																						
Vapour pressure	Not applicable																																						
Density and/or specific gravity	ca. 1,2 - 1,4 g/cm																																						
Relative vapour density	not determined																																						
Particle properties	not determined																																						
<b>9.2.</b>	<p><b>Other information</b>  Nickel Iron alloy  Form : solid Color: silver-gray, metallic Odor: odorless  pH : not applicable  Boiling point: not applicable  Melting point: 1400 - 1550°C (depending on steel grade)  Flash point: not applicable Flammability: not applicable  Ignition temperature: not applicable Spontaneous ignition: not applicable  Oxidizing properties: not applicable</p>																																						

### SECTION 10: Stability and reactivity

<b>10.1</b>	<b>Reactivity</b>	No information available
<b>10.2</b>	<b>Chemical stability</b>	In the event of thermal decomposition, as occurs in the event of fire or due to overheating in the case of improper processing, for example, harmful gases and vapors may be formed.
<b>10.3</b>	<b>Possibility of hazardous reactions</b>	No dangerous reactions observed.
<b>10.4</b>	<b>Conditions to avoid</b>	No information available

**Safety Data Sheets 1907/2006/EG - REACH (DE)****Muppy wire guard (Alloy Steel) I, transparent/rigidngitter  
(Legierter Stahl) I, transparent/starr starr  
Article no.: No. 93201**

Revised on: 16.05.2022

Version: 4.0 Replaced version:3.0

10.5	<b>Incompatible materials</b>	No information available
10.6	<b>Decomposition products</b>	<p>During carbonization or incomplete combustion, toxic gas mixtures containing mainly CO and CO<sub>2</sub> develop.</p> <p>Under the recommended processing conditions, small amounts of emitters may be released.</p> <p>When processing this product, especially in the thermal process, the regulations for the substances listed below must be observed. Phenol; Carboic acid; Monohydroxybenzene; Phenylalcohol</p> <p>INDEX No. 604-001-00-2</p> <p>CAS No.: 108-95-2</p> <p>Classification (1272/2008/EC): Acute Tox. 3 Oral H301 Acute Tox. 3 Inhalative H331 Acute Tox. 3 Dermal H311 Skin Corr. 1B H314 Eye Dam. 1 H318 Muta. 2 H341 STOT RE 2 H373 Aquatic Chronic 2 H411</p> <p>Chlorobenzene</p> <p>INDEX No. 602-033-00-1</p> <p>CAS No.: 108-90-7</p> <p>Classification (1272/2008/EC): Flam. Liq. 3 H226 Acute Tox. 4 Inhalative H332 Skin Irrit. 2 H315 Aquatic Chronic 2 H411</p> <p>4-tert-butylphenol</p> <p>INDEX No. 604-090-00-8</p> <p>CAS No.: 98-54-4</p> <p>Classification (1272/2008/EC): Skin Irrit. 2 H315 Eye Dam. 1 H318 Repr. 2 H361f Aquatic Chronic 1 H410</p> <p>Bisphenol A; 4,4'-isopropylidenediphenol.</p> <p>CAS No.: 80-05-7</p> <p>Classification (1272/2008/EC): Repr. 1B H360F STOT SE 3 Inhalative H335 Eye Dam. 1 H318 Skin Sens. 1 H317 Aquatic Chronic 2 H415</p>

**Safety Data Sheets 1907/2006/EG - REACH (DE)**

**Muppy wire guard (Alloy Steel) I, transparent/rigidngitter  
(Legierter Stahl) I, transparent/starr starr  
Article no.: No. 93201**



Revised on: 16.05.2022

Version: 4.0 Replaced version:3.0

**SECTION 11: Toxicological data**

11.1	<b>Information on hazard classes within the meaning of Regulation (EC) No 1272/2008</b>	
	acute toxicity	Toxicological studies on the product are not available.
	Corrosive/irritant effect on the skin	No data available.
	Serious eye damage/irritation	No data available.
	Sensitisation of the respiratory tract/skin	No data available.
	Germ cell mutagenicity	No data available.
	Carcinogenicity	No data available.
	Reproductive toxicity	According to our experience and information, the product does not cause any adverse health effects when handled properly.
	Specific target organ toxicity at single exposure	No data available.
	Specific target organ toxicity in case of repeated exposure	No data available.
	Aspiration hazard	No data available.
11.2	<b>Information on other hazards</b>	
	No data available.	
11.2.1	<b>Endocrine disrupting properties</b>	
	No data available.	
11.2.2	<b>Other information</b>	
	No data available.	

**SECTION 12. Environmental information**

12.1	<b>Toxicity</b>	No data available.
12.2	<b>Persistence and degradability</b>	No data available.
12.3	<b>Bioaccumulative potential</b>	No data available.
12.4	<b>Mobility in soil</b>	The product is practically insoluble in water. Due to its consistency and insolubility in water, no ecological problems are expected if handled properly. The product is not easily biodegradable
12.5	<b>Results of the PBT and vPvB assessment</b>	There are no data available
12.6	<b>Endocrine disrupting properties</b>	There are no data available
12.7	<b>Other adverse effects</b>	There are no data available

**SECTION 13: Disposal instructions**

13.1	<b>Waste treatment process</b>	
	<b>General information</b>	Disposal in compliance with all applicable international, national and local laws, regulations and statutes. For disposal within the EU, the respective valid waste code according to the European Waste Catalogue (EWC) must be used.
	<b>Disposal methods</b>	Emptied packaging can be handed over for recycling after residual emptying (free-flowing, spatula-clean, drip-free) at the acceptance points of the existing take-back systems of the chemical industry. Recycling must be carried out in accordance with national legislation and

**Safety Data Sheets 1907/2006/EG - REACH (DE)**

**Muppy wire guard (Alloy Steel) I, transparent/rigidngitter  
(Legierter Stahl) I, transparent/starr starr  
Article no.: No. 93201**



Revised on: 16.05.2022

Version: 4.0 Replaced version:3.0

environmental protection regulations. The product is suitable for mechanical recycling. After appropriate treatment, it can be remelted and reprocessed into new molded parts.  
Voraussetzung für ein werkstoffliches Recycling ist materialspezifische Erfassung und sortenreine Verwertung.

### SECTION 14: Transport information

14.1	ADR	Not dangerous goods
14.2	ADN	Not dangerous goods
14.3	RID	Not dangerous goods
14.4	IMDG	Not dangerous goods
14.5	IATA	Not dangerous goods
14.6	Special precautions for the user:	Not dangerous goods
14.7	Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code:	Not dangerous goods

### SECTION 15: Legislation

15.1	<b>Safety, health and environmental regulations/specific legislation for the substance or mixture:</b>	
	<b>EU regulations</b>	
	Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances:	none
	Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended:	none
	Regulation (EC) No 649/2012 on the export and import of dangerous chemicals:	none
	Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended:	none
	EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation:	none
	Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles :	none
	Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work...:	none
	Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding:	none
	Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances:	none
	REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants	none



## Safety Data Sheets 1907/2006/EG - REACH (DE)

**Muppy wire guard (Alloy Steel) I, transparent/rigidngitter  
(Legierter Stahl) I, transparent/starr starr  
Article no.: No. 93201**



Revised on: 16.05.2022

Version: 4.0 Replaced version:3.0

	Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work:	none
	<b>National regulations</b>	
	Water hazard class	nw not hazardous to water Identification number according to AwSV: 770
	Reference to Technical Rules for Hazardous Substances (TRGS)	none
	VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC)	none
	Other regulations	none
<b>15.2</b>	<b>Chemical safety assessment</b>	No chemical safety assessment has been carried out for this substance/mixture (or its components).

### SECTION 16: Other information

<b>16.1</b>	<b>Information on the revision</b>	Not relevant.
	<b>Important literature references and data sources:</b>	There are no data available.
	<b>Training information:</b>	There are no data available.
	<b>Disclaimer:</b>	More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.

### 8.1 Biological limits

Stoff	CAS-Nr.	Basis	Type	Value	Peak limiting value	Notes
Phenol; Carbonsäure; Monohydroxybenzol; Phenylalcohol	108-95-2	EU ELV	TWA	2 ppm 8 mg/m <sup>3</sup>		indicative
Phenol; Carbonsäure; Monohydroxybenzol; Phenylalcohol	108-95-2	EU ELV				Skin resorption possible
Phenol; Carbonsäure; Monohydroxybenzol; Phenylalcohol	108-95-2	EU ELV	STEL	4ppm 16 mg/m <sup>3</sup>		indicative
Phenol; Carbonsäure; Monohydroxybenzol; Phenylalcohol	108-95-2	TRGS 900				Registered
Phenol; Carbonsäure; Monohydroxybenzol; Phenylalcohol	108-95-2	TRGS 900				Skin resorption possible
Phenol; Carbonsäure; Monohydroxybenzol; Phenylalcohol	108-95-2	TRGS 900		2ppm 8 mg/ m <sup>3</sup>	2	

**Safety Data Sheets 1907/2006/EG - REACH (DE)**
**Muppy wire guard (Alloy Steel) I, transparent/rigidgitter  
(Legierter Stahl) I, transparent/starr starr  
Article no.: No. 93201**


Revised on: 16.05.2022

Version: 4.0 Replaced version:3.0

<b>Phenol; Carbonsäure; Monohydroxybenzol; Phenylalcohol</b>	108-95-2	TRGS 900	Short-term overru n			Category II: Resorptive substances
<b>Chlorbenzol</b>	108-90-7	TRGS 900				Registered
<b>Chlorbenzol</b>	108-90-7	TRGS 900		5 ppm 23mg/m3	2	Y
<b>Chlorbenzol</b>	108-90-7	EU ELV	TWA	5 ppm 23mg/m3		indicative
<b>Chlorbenzol</b>	108-90-7	EU ELV	STEL	15 ppm 70 mg/m3		indicative
<b>Chlorbenzol</b>	108-90-7	TRGS 900	Short-term overru n			Category II: Resorptive substances
<b>4-tert-Butylphenol</b>	98-54-4	TRGS 900				Registered
<b>4-tert-Butylphenol</b>	98-54-4	TRGS 900		0,08 ppm 0,5 mg/m3	2	
<b>4-tert-Butylphenol</b>	98-54-4	TRGS 900				Skin resorption possible
<b>4-tert-Butylphenol</b>	98-54-4	TRGS 900	Short-term overru n			
<b>Bisphenol A; 4,4`- Isopropylidendiphenol</b>	80-05-7	TRGS 900				Registered
<b>Bisphenol A; 4,4`- Isopropylidendiphenol</b>	80-05-7	TRGS 900	Short-term overru n			Category I
<b>Bisphenol A; 4,4`- Isopropylidendiphenol</b>	80-05-7	TRGS 900		5mg/m3		Y
<b>Bisphenol A; 4,4`- Isopropylidendiphenol</b>	80-05-7	EU ELV	TWA	2 mg/m3		indicative
<b>General dust limit</b>		TRGS 900		10 mg/m3	2	Inhalable fraction
<b>General dust limit</b>		TRGS 900		3 mg/m3	2	alveolengägnig fraction
<b>General dust limit</b>		TRGS 900	Short-term overru n			Category II: Resorptive substances