Telefax: +41 71 775 80 99

Telephone: +41 71 775 80 60



### **Safety Data Sheet**

### according to UK REACH Regulation

#### els duobond base

Revision date: 09.05.2023 Product code: D300103 Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

els duobond base

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Saremco cements and auxiliary bonding promotors are intended for the indirect reconstruction or correction of functionally compromised natural dentition

### Uses advised against

None.

### 1.3. Details of the supplier of the safety data sheet

Company name: Saremco Dental AG
Street: Gewerbestrasse 4
Place: CH-9445 Rebstein
Telephone: +41 71 775 80 90

e-mail: info@saremco.ch

Contact person: Dr. Christoph Evers

e-mail: Christoph.evers@saremco.ch

Internet: www.saremco.ch

Responsible Department: Vigilance

**1.4. Emergency telephone** CH: 145

<u>number:</u> Ausland: +41 44 251 51 51

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

## **GB CLP Regulation**

# Hazard components for labelling

BISPHENOL A POLYETHYLENE GLYCOL DIETHER DIMETHACRYLATE, BISEMA

10-Methacryloyl-oxydecyl-dihydrogenphosphat

Campherchinon

Signal word: Warning

Pictograms:



# **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.



#### according to UK REACH Regulation

#### els duobond base

Revision date: 09.05.2023 Product code: D300103 Page 2 of 8

#### **Precautionary statements**

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

| CAS No     | Chemical name                               |   |             | Quantity    |  |  |
|------------|---|---|-------------|-------------|--|--|
|            | EC No                                       | Index No  | REACH No    |             |  |  |
|            | Classification (GB CLP Regulation)          |   |             |             |  |  |
| 41637-38-1 | BISPHENOL A POLYETHYLENE (                  | SLYCOL DIETHER DIMETHACRYLA   | ATE, BisEMA | 50 - < 75 % |  |  |
|            | 609-946-4                                   |   |             |             |  |  |
|            | Skin Irrit. 2, Eye Irrit. 2, Skin Sens.     | Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H315 H319 H317 H335 |             |             |  |  |
| 85590-00-7 | 10-Methacryloyl-oxydecyl-dihydrogenphosphat |   |             |             |  |  |
|            | Skin Irrit. 2, Eye Irrit. 2, STOT SE 3      | ; H315 H319 H335  |             |             |  |  |
| 10373-78-1 | Campherchinon                               |   |             | 1 - < 5 %   |  |  |
|            | 233-814-1                                   |   |             |             |  |  |
|            | Skin Irrit. 2, Eye Irrit. 2, STOT SE 3      | ; H315 H319 H335  |             |             |  |  |
| 128-37-0   | Butylated hydroxitoluene                    |   |             |             |  |  |
|            | 204-881-4                                   |   |             |             |  |  |
|            | Aquatic Chronic 1; H410                     |   |             |             |  |  |

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

| CAS No     | EC No                    | Chemical name                               | Quantity    |  |
|------------|--------------------------|---|-------------|--|
|            | Specific Conc. L         | Specific Conc. Limits, M-factors and ATE    |             |  |
| 85590-00-7 |                          | 10-Methacryloyl-oxydecyl-dihydrogenphosphat | 25 - < 50 % |  |
|            | oral: LD50 = > :         | oral: LD50 = > 2000 mg/kg                   |             |  |
| 128-37-0   | 204-881-4                | Butylated hydroxitoluene                    | 0.1 - < 1 % |  |
|            | oral: LD50 = >6000 mg/kg |   |             |  |

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

# After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After innestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.





according to UK REACH Regulation

#### els duobond base

Revision date: 09.05.2023 Product code: D300103 Page 3 of 8

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Suppress gases/vapours/mists with water spray jet.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

## 6.2. Environmental precautions

No special environmental measures are necessary. Clean contaminated articles and floor according to the environmental legislation.

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.



according to UK REACH Regulation

#### els duobond base

Product code: D300103 Revision date: 09.05.2023 Page 4 of 8

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

#### Hints on joint storage

No special measures are necessary.

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Exposure limits (EH40)**

| CAS No   | Substance                  | ppm | mg/m³ | fibres/ml | Category  | Origin |
|----------|----------------------------|-----|-------|-----------|-----------|--------|
| 128-37-0 | 2,6-Di-tert-butyl-p-cresol | -   | 10    |           | TWA (8 h) | WEL    |

### 8.2. Exposure controls





#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: yellow

Melting point/freezing point: not determined Boiling point or initial boiling point and not determined

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: > 150 °C Auto-ignition temperature: not determined Decomposition temperature: not determined



#### according to UK REACH Regulation

#### els duobond base

Revision date: 09.05.2023 Product code: D300103 Page 5 of 8

pH-Value: not determined

Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

not determined

1.3 g/cm³

not determined

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

### Other safety characteristics

Evaporation rate: not determined

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

## **Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No     | Chemical name            |  |         |        |          |  |  |  |
|------------|--------------------------|--|---------|--------|----------|--|--|--|
|            | Exposure route           | Dose                                       | Species | Source | Method   |  |  |  |
| 85590-00-7 | 10-Methacryloyl-oxydecyl | 0-Methacryloyl-oxydecyl-dihydrogenphosphat |         |        |          |  |  |  |
|            | oral                     | LD50 > 2000<br>mg/kg                       | Rat     |        |          |  |  |  |
| 128-37-0   | Butylated hydroxitoluene |  |         |        |          |  |  |  |
|            | oral                     | LD50 >6000<br>mg/kg                        | rat     |        | OECD 401 |  |  |  |

### Irritation and corrosivity





#### according to UK REACH Regulation

#### els duobond base

Revision date: 09.05.2023 Product code: D300103 Page 6 of 8

Causes skin irritation.

Causes serious eye irritation.

### Sensitising effects

May cause an allergic skin reaction. (BISPHENOL A POLYETHYLENE GLYCOL DIETHER DIMETHACRYLATE. BisEMA)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (BISPHENOL A POLYETHYLENE GLYCOL DIETHER DIMETHACRYLATE, BisEMA; 10-Methacryloyl-oxydecyl-dihydrogenphosphat)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

## 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### **Further information**

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

## Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.





### according to UK REACH Regulation

#### els duobond base

Revision date: 09.05.2023 Product code: D300103 Page 7 of 8

14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

#### Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

#### Air transport (ICAO-TI/IATA-DGR)

#### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

### 14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): -- non-hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%





#### according to UK REACH Regulation

#### els duobond base

Revision date: 09.05.2023 Product code: D300103 Page 8 of 8

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

@1605.B000001

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification      | Classification procedure |
|---------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method       |
| Eye Irrit. 2; H319  | Calculation method       |
| Skin Sens. 1; H317  | Calculation method       |
| STOT SE 3; H335     | Calculation method       |

#### Relevant H and EUH statements (number and full text)

| H315 | Causes skin irritation.              |
|------|--------------------------------------|
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation.       |
| H335 | May cause respiratory irritation.    |

H410 Very toxic to aquatic life with long lasting effects.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Telefax: +41 71 775 80 99



### **Safety Data Sheet**

#### according to UK REACH Regulation

## els duobond catalyst

Revision date: 09.05.2023 Product code: D300105 Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

els duobond catalyst

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Saremco cements and auxiliary bonding promotors are intended for the indirect reconstruction or correction of functionally compromised natural dentition

### Uses advised against

None.

### 1.3. Details of the supplier of the safety data sheet

Company name: Saremco Dental AG
Street: Gewerbestrasse 4
Place: CH-9445 Rebstein
Telephone: +41 71 775 80 90

e-mail: info@saremco.ch

Contact person: Dr. Christoph Evers Telephone: +41 71 775 80 60

e-mail: Christoph.evers@saremco.ch

Internet: www.saremco.ch

Responsible Department: Vigilance

1.4. Emergency telephone CH: 145

**number:** Ausland: +41 44 251 51 51

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

### **GB CLP Regulation**

## Hazard components for labelling

acetone; propan-2-one; propanone

Signal word: Danger

## Pictograms:





#### **Hazard statements**

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.



according to UK REACH Regulation

## els duobond catalyst

Revision date: 09.05.2023 Product code: D300105 Page 2 of 9

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

#### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

| CAS No  | Chemical name               |                                  |          | Quantity |  |
|---------|-----------------------------|----------------------------------|----------|----------|--|
|         | EC No                       | Index No                         | REACH No |          |  |
|         | Classification (GB CLP R    | Regulation)                      |          |          |  |
| 67-64-1 | acetone; propan-2-one; p    | acetone; propan-2-one; propanone |          |          |  |
|         | 200-662-2                   | 606-001-00-8                     |          |          |  |
|         | Flam. Liq. 2, Eye Irrit. 2, | STOT SE 3; H225 H319 H336 EUH    | 1066     |          |  |

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

| CAS No  | EC No            | Chemical name  | Quantity    |
|---------|------------------|--|-------------|
|         | Specific Conc. L | imits, M-factors and ATE   |             |
| 67-64-1 | 200-662-2        | acetone; propan-2-one; propanone   | 50 - < 75 % |
|         | inhalation: LC5  | 0 = 76 mg/l (vapours); dermal: LD50 = 20000 mg/kg; oral: LD50 = 5800 mg/kg |             |

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

## 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters



Saremco Dental AG

according to UK REACH Regulation

### els duobond catalyst

Revision date: 09.05.2023 Product code: D300105 Page 3 of 9

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

## 7.3. Specific end use(s)

Saremco Dental-Haftvermittler fördern die Haftung von direktem oder indirektem Zahnersatz zur Rekonstruktion oder Korrektur von funktionell beeinträchtigten natürlichen Zähnen.



according to UK REACH Regulation

### els duobond catalyst

Revision date: 09.05.2023 Product code: D300105 Page 4 of 9

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Exposure limits (EH40)**

| CAS No  | Substance | ppm  | mg/m³ | fibres/ml | Category      | Origin |
|---------|-----------|------|-------|-----------|---------------|--------|
| 67-64-1 | Acetone   | 500  | 1210  |           | TWA (8 h)     | WEL    |
|         |           | 1500 | 3620  |           | STEL (15 min) | WEL    |

#### 8.2. Exposure controls







#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: yellow

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

56 °C

boiling range:

Flammability: not determined Lower explosion limits: 2.5 vol. % Upper explosion limits: 15 vol. % Flash point: < -20 °C Auto-ignition temperature: 400 °C Decomposition temperature: not determined pH-Value: not determined Water solubility: easily soluble



#### according to UK REACH Regulation

### els duobond catalyst

Revision date: 09.05.2023 Product code: D300105 Page 5 of 9

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 246 hPa

(at 20 °C)

Vapour pressure: 814 hPa

(at 50 °C)

Density: not determined Relative vapour density: not determined

#### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Highly flammable.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No  | Chemical name            |               |         |           |        |        |  |  |
|---------|--------------------------|---------------|---------|-----------|--------|--------|--|--|
|         | Exposure route           | Dose          |         | Species   | Source | Method |  |  |
| 67-64-1 | acetone; propan-2-one; p | ropanone      |         |           |        |        |  |  |
|         | oral                     | LD50<br>mg/kg | 5800    | Ratte     | RTECS  |        |  |  |
|         | dermal                   | LD50<br>mg/kg | 20000   | Kaninchen | IUCLID |        |  |  |
|         | inhalation (4 h) vapour  | LC50          | 76 mg/l | Ratte     |        |        |  |  |

## Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.



according to UK REACH Regulation

## els duobond catalyst

Revision date: 09.05.2023 Product code: D300105 Page 6 of 9

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause drowsiness or dizziness. (acetone; propan-2-one; propanone)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

| CAS No  | Chemical name            | Chemical name     |                           |        |        |  |  |  |  |
|---------|--------------------------|-------------------|---------------------------|--------|--------|--|--|--|--|
|         | Aquatic toxicity         | Dose              | [h]   [d] Species         | Source | Method |  |  |  |  |
| 67-64-1 | acetone; propan-2-one; p | ropanone          |                           |        |        |  |  |  |  |
|         | Acute fish toxicity      | LC50 5540<br>mg/l | 96 h Onchorhynchus mykiss |        |        |  |  |  |  |
|         | Acute crustacea toxicity | EC50 6100<br>mg/l | 48 h Daphnia magna        |        |        |  |  |  |  |

## 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

| CAS No  | Chemical name                    | Log Pow |
|---------|----------------------------------|---------|
| 67-64-1 | acetone; propan-2-one; propanone | -0,24   |

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods



according to UK REACH Regulation

### els duobond catalyst

Revision date: 09.05.2023 Product code: D300105 Page 7 of 9

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number: UN 1090 14.2. UN proper shipping name: ACETONE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 1090 **14.2. UN proper shipping name:** ACETONE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2

### Marine transport (IMDG)

14.1. UN number or ID number:UN 109014.2. UN proper shipping name:ACETONE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions:

Limited quantity:

Excepted quantity:

E2

EmS:

F-E, S-D

### Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.



according to UK REACH Regulation

## els duobond catalyst

Revision date: 09.05.2023 Product code: D300105 Page 8 of 9

### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:UN 109014.2. UN proper shipping name:ACETONE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to 2012/18/EU

(SEVESO III):

P5c FLAMMABLE LIQUIDS

### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging





#### according to UK REACH Regulation

## els duobond catalyst

Revision date: 09.05.2023 Product code: D300105 Page 9 of 9

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

@1605.B000001

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification     | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data    |
| Eye Irrit. 2; H319 | Calculation method       |
| STOT SE 3; H336    | Calculation method       |

#### Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)